

RDX® QuikStor™

Where smarter storage begins

Tandberg Data's RDX QuikStor cartridge-based removable storage system offers rugged, reliable and convenient storage for backup, archive, data interchange and disaster recovery. It provides enterprise performance and fast access, with transfer rates up to 162GB/hr and is available with up to 500GB per cartridge. The bundled RDX FileKeeper software offers transparent, "always-on" continuous protection of user data and a complete backup of all system and application data.

Enterprise Performance and Reliability

The exploding growth of mission-critical digital content combined with government regulated retention policies has created a need for secure, reliable and robust, portable data protection solution at an affordable cost.

The Tandberg RDX QuikStor cartridge delivers a rugged design that's shock-proof for maximum data protection and secure handling. Backward/forward compatibility allows users to scale to higher capacities, meaning that tomorrow's higher capacity RDX cartridges will operate in today's RDX systems. Tandberg Data's RDX QuikStor meets the reliability, performance and business requirements for all backup and data archive applications from professional workstations through to the low-end enterprise.

What is RDX FileKeeper?

RDX FileKeeper is a revolutionary backup software package that combines two important technologies into one simple solution—continuous data protection (CDP) and disaster recovery protection. By providing byte-level CDP on all user data and file-level backup for all systems data, every document is protected as it is saved to disk, regardless of whether the system is connected or disconnected to the RDX. With CDP, the RDX automatically stores new data as needed throughout the day, and single file de-duplication keeps only those bytes of data that change. RDX FileKeeper offers simple right click access to earlier versions of files while easily protecting against accidental deletions, corruption and accidental overwriting.

Disaster recovery backup allows users to make complete system images—snapshots of the system at points in time—to provide complete protection against hardware failure and other disasters. If the customer is using Windows Server 2008 or Windows Vista, the DR can be done directly from the RDX.



Key Benefits

- Fast Access**
 Blistering disk-based speed and access, backing up to 162GB/hr and near-instant file retrieval
- Convenient & Secure**
 Provides the convenience of tape with the ability to take off-site copies for archiving and peace of mind
- CDP with RDX FileKeeper**
 Easy-to-use software solution for the RDX QuikStor provides transparent, "always-on" continuous protection of user data and a complete backup of all system and application data
- Budget-Friendly**
 Cost effective solution that suits all sectors from SOHO users to departmental users
- Rugged and Tough**
 The cartridges last over 10 years and are rugged and shockproof to ensure they remain in perfect working order
- RDX Technology Advantage**
 RDX QuikStor technology merges the best of both tape and disk—the convenience, portability, long archive and low cost of tape; with the fast data transfer rates, random access file retrieval, data reliability and transparent capacity growth of disk



Choose between 80, 160, 320 or 500GB cartridges of the RDX QuikStor. The backward/forward compatibility allows users to upgrade to higher capacity cartridges without compromise.

TANDBERG DATA 
Securing your Information

Specifications

Capacity	80, 160, 320, 500GB
Transfer Rate Average Sustained	35-45MB/s (SATA), 25MB/s (USB)
Transfer Rate Burst	1.5Gb/s (SATA), 480Mb/s (USB)
File Access Time	15 msec.
Interface	SATA or USB 2.0 High Speed
Operating System	Microsoft Windows 2000, Windows XP Professional, Windows XP Home, Windows 2003 Server, Windows Vista Linux (Fedora Core 5), Linux (RHEL 4 update 3), Suse Linux Enterprise Server 9.0 and 10.0, Mac OSX
Cartridge Load-/ Unload	5,000 insertion/ removal cycles
Drive Load-/ Unload	10,000 insertion/ removal cycles
MTBF Cartridge	500,000 hrs.
MTBF Drive	500,000 hrs. at 100% duty cycle
Unrecoverable Error Rate	1 error in 10¹⁴ bits read
Temperature (Operating)	5° to 45°C
Temperature (Non-operating)	-40° to 65° C
Relative Humidity (Operating)	10 to 90% (non-condensing)
Relative Humidity (Non-operating)	5 to 95% (non-condensing)
Altitude (Operating)	-300 to 3000 m
Altitude (Non-operating)	-300 to 12000 m
Power Requirements	+5 (SATA), +12 (USB)
Power Consumption Typical	7.5 W (SATA), 6.6 W (USB)
Regulatory Agency Approvals	UL 60950, CSA C22.2 No. 60950, IEC 60950/ EN60950
EMC	FCC 47CFR, part 15, class B, CISPR22, class B, EN55022, class B, EN61000-3-2, EN61000-3-3, CISPR24, EN55024, ICES-003, class B, VCCI, CE, C-Tick
Warranty	3 years
SecureService	Tandberg Data offers extended on-site service options for customers who require higher levels of data protection. Visit www.tandbergdata.com/secureservice for more information

Form Factor	3.5 in Internal Dimensions	5.25 in HH Internal Dimensions	External Dimensions-USB
Height:	41.4mm (1.63 in)	41.4mm (1.63 in)	51.8mm (2.04 in)
Width:	101.6mm (4.00 in)	146.0mm (5.75 in)	109.8mm (4.32 in)
Length:	159.4mm (6.28 in) including bezel	171.9mm (6.77 in) including bezel	177.5mm (7.00 in) including bezel
Weight:	408g (0.90 lbs)	635g (1.40 lbs)	540g (1.19 lbs)

About Tandberg Data

Tandberg Data is a leading global supplier of backup and archiving technologies. Tandberg Data offers a complete range of tape libraries, tape autoloaders and tape drives (based on the LTO™, SLR™, VXA® tape technology platforms), storage software, data media and disk-based storage such as the RDX™ QuikStor. These solutions are marketed exclusively through a channel of qualified resellers and distributors. These solutions are underpinned by OEM agreements with major server manufacturers including IBM, Hitachi, Fujitsu, Fujitsu-Siemens, Apple and Dell and supported by all major operating systems and storage software applications to operate in heterogeneous network environments. All solutions are designed to meet the growing storage requirements of small and medium-sized organisations with scalability, reliability and backward compatibility features that ensure cost effective operation and long-term investment protection.

Tandberg Data ASA
Økernveien 94
N-0579 Oslo
Norway
Tel: +47 (0) 2218 9090
Fax: +47 (0) 2218 9550

Tandberg Data GmbH
Feldstrasse 81
44141 Dortmund
Germany
Tel: +49 (0) 231 5436 - 0
Fax: +49 (0) 231 5436 - 111

Tandberg Data Limited
Bloxham Mill Business Centre
Barford Road, Bloxham
Banbury, England, OX15 4FF
Tel: +44 (0) 845 070 6916
Fax: +44 (0) 1295 722 109

Tandberg Data S.A.S.
16-18, avenue Morane Saulnier - Bât.A
78941 Vélizy Cedex
France
Téléphone: +33 (0)1 39 26 01 01
Télécopie: +33 (0)1 34 65 02 89

Tandberg Data Corporation
2108 55th Street
Boulder, CO 80301
USA
Tel: 303.442.4333
Fax: 303.417.7170

Tandberg Data (Asia) Pte Ltd
20 Bendemeer Road
#04-05 Cyberhub
Singapore 339914
Tel: +65 (0) 6396 0786
Fax: +65 (0) 6396 0787

In addition to the offices above TANDBERG DATA ASA has branch offices in the United Kingdom, France, Italy, India, China (PRC), Thailand and Brazil. TANDBERG DATA ASA is a publicly held company based in Oslo, Norway and is traded on the Oslo Stock Exchange (ticker=TAD). Specifications subject to change without notice. RDX QuikStor, BAKStor, and SLR are trademarks of Tandberg Data ASA. RDX is a registered trademark of ProStor Systems. LTO is a trademark of HP, IBM and Quantum. All other trademarks are the property of their respective owners. ©2007 TANDBERG DATA. All rights reserved.

DS-RDX_EMEA_2007

salesemea@tandbergdata.com 00 800 8263 2374 (00 800 TANDBERG)

www.tandbergdata.com